




www.jackarooz.com.au

FWG

PRO WORKSHOP GEAR

www.proworkshopgear.com.au

YOUR SAFETY IS OUR NUMBER ONE PRIORITY



1300 082 002
sales@proworkshopgear.com.au
www.proworkshopgear.com.au
4 Aspinall Place, Mulgrave
NSW 2756, Sydney, Australia

**DIRECT
SUPPLIER**

AUSSIE JACKAROO BRAND

JT4.0BP-M2

2 post Hoist **4T** Base Plate, Jackaroo Manual Release



PRICE & DEAL
REFER TO WEBSITE

WANT INSTALLATION?
CALL US

Lifting Capacity	Min Height:	Max Lifting Height	Power Supply
4000kg	100mm	1900mm	220v, 50Hz

3 YEAR WARRANTY

4 Ton Base Plate, 2-post hoist, Double side manual lock release, safe and affordable, light commercial and Home Garage

JT4.5CF-M2

2 post Hoist **4.5T** Clear Floor, Jackaroo Manual Release



PRICE & DEAL
REFER TO WEBSITE

WANT INSTALLATION?
CALL US

Lifting Capacity	Min Height:	Max Lifting Height	Power Supply
4500kg	100mm	1850mm	240 V, 50Hz

3 YEAR WARRANTY

4.5 Ton Clear Floor, 2-post hoist, Double side manual lock release, safe and affordable, light commercial and Home Garage

JT4.5CF-M

4.5T Clear Floor, 2-post hoist, Single side Manual Release



PRICE & DEAL
REFER TO WEBSITE

WANT INSTALLATION?
CALL US

Lifting Capacity	Low lifting point	Max Lifting Height	Power Supply
4500kg	100mm	2050mm	240v/415v, 50Hz

3 YEAR WARRANTY

4.5 Ton Clear Floor, 2-post hoist, Single- Side manual lock release, Built for Commercial Grade, fit for all Repair shop.

JT450CF-M 14 Bent Super Strong Columns

4.5T Clear Floor, 2-post hoist, Single side manual release



PRICE & DEAL
REFER TO WEBSITE

WANT INSTALLATION?
CALL US

Lifting Capacity	Min Height	Max Lifting Height	Power Supply
4500kg	100mm	2150mm	240V/415V, 50 Hz

3 YEAR WARRANTY

4.5 Ton Clear Floor, 2-post hoist, Single- Side manual lock release, Built for Commercial Grade, fit for all Repair shop

JT450BP-PRO Full Electric Control

2 post Hoist **4.5T** Base Plate, Professional Grade



PRICE & DEAL
REFER TO WEBSITE

WANT INSTALLATION?
CALL US


Lifting Capacity	Min Height:	Max Lifting Height	Power Supply
4500kg	100mm	2150mm	220v/380v, 50Hz

3 YEAR WARRANTY

14 Bent super Strong with 24V Control Box, safety limit switch, Electric Solenoid unlock, single or 3 phase.

JT500BP-EP Full Electric Control

2 Post Hoist Base Plate **5 Ton** - Professional Grade



PRICE & DEAL
REFER TO WEBSITE

WANT INSTALLATION?
CALL US

Lifting Capacity	Low lifting point	Max Lifting Height	Power Supply
5000kg	112mm	1900mm	400V/ 3 Phases

3 YEAR WARRANTY

5T, 2 post Base Plate with 24V Extra Safe Control Box locking mechanism, safety limit switch, ELECTRIC Solenoid unlock , 3 phase

JFP3.6STD

4 post Hoist STD 3.6T, Parking Hoist & Car Stacker



PRICE & DEAL
REFER TO WEBSITE

WANT INSTALLATION?
CALL US

Lifting Capacity	Max Lifting Height	Min Height	Power Supply
3600kg	1845mm	125mm	240v , 50 Hz

3 YEAR WARRANTY

Jackaroo 3600kg Car Parking hoist is one of the perfect solutions and safe to create extra parking space and safely doing repairs and service.

JFP3.6HL-PRO

4 post Hoist STD 3.6T, Ex Height, Car Parking Hoist



PRICE & DEAL
REFER TO WEBSITE

WANT INSTALLATION?
CALL US

Lifting Capacity	Max Lifting Height	Min Height	Power Supply
3600kg	2185mm	125mm	240v , 50 Hz

Extra Height and Length, Mobile 4 post hoist , Car parking Hoist suitable for medium and large SUV, Car Workshop, Car Parking, Car Stacking and Home Garage with 24V safe operating control box and Single side unlocking mechanism.

JFP4.5PRO

4 Post Hoist 4.5 Ton- Professional Grade - Jackaroo



PRICE & DEAL
REFER TO WEBSITE

WANT INSTALLATION?
CALL US

Lifting Capacity	Max Lifting Height	Min Height	Power Supply
4500kg	1850mm	197mm	415 V / 50 Hz

3 YEAR WARRANTY

4.5 Ton 4 Post Hoist, 415V Electro-hydraulic four post lift with 24V safe operating control box and Air Release unlocking mechanism. Suitable for Professional General Repair Workshop

JFP6.5-Pro

4 Post Hoist-6.5 Ton, Professional Grade - Jackaroo



PRICE & DEAL
REFER TO WEBSITE

WANT INSTALLATION?
CALL US

Lifting Capacity	Max Lifting Height	Min Height	Power Supply
6500kg	1850mm	241mm	415 V / 50 Hz

3 YEAR WARRANTY

6.5 Ton, 415 V Electro-hydraulic four post hoist with 24V safe operating control box and Air Release unlocking mechanism Suitable for car or truck Workshop.

JSL300-1.0H

Mid Rise Scissor Lift **3T**, Super Heavy Duty-Jackaroo



PRICE & DEAL
REFER TO WEBSITE

WANT INSTALLATION?
CALL US

Lifting Capacity	Max Lifting Height	Min Height	Power Supply
3000kg	1000mm	105mm	240 V / 50 Hz

3 YEAR WARRANTY

Mobile 3000Kg Super Heavy Duty car scissor lift packed with all the safety features which is Ideal for tyre service, painting and bodywork workshops. No air compressor needed. With electromagnetic release. Unique design to move and relocate the lift easily if needed.

JSL300-1.0H-PRO

Mid Rise Scissor Lift **3T**, Pro Version -Jackaroo



PRICE & DEAL
REFER TO WEBSITE

WANT INSTALLATION?
CALL US

Lifting Capacity	Max Lifting Height	Min Height	Power Supply
3000 kg	1000 mm	105 mm	240 V / 50 Hz

3 YEAR WARRANTY

Mobile 3000Kg Modern scissor lift packed with all the safety features which is Ideal for tyre service, painting and bodywork workshops. With electromagnetic release, No air compressor needed. Mobile kit included to move and relocate the lift easily.

JSL360-1.2PRO (1.2 m lifting height)

Mid Rise **3.6 T** scissor lift with LED light



PRICE & DEAL
REFER TO WEBSITE

WANT INSTALLATION?
CALL US

Lifting Capacity	Max Lifting Height	Min Height	Power Supply
3600 kg	1200 mm	110 mm	240v / 50 Hz

3 YEAR WARRANTY

Mobile 3600Kg Modern scissor lift with 1200 lifting Height, packed with all the safety features which is Ideal for tyre service, painting and bodywork workshops. With electromagnetic release, no air compressor needed. Mobile kit included to move and relocate the lift easily.

JSL3.5-IG

In Ground **3.5T** Professional High-Rise car scissors lift



PRICE & DEAL
REFER TO WEBSITE

WANT INSTALLATION?
CALL US

Lifting Capacity	Max Lifting Height	Min Height	Power Supply
3500 kg	2050 mm	220 mm	415 V / 50 Hz

3 YEAR WARRANTY

In Ground 3.5 Ton professional High-Rise car scissor lift, wise choice for tight and small workshop, quick and efficient for tyre shops, mechanical workshop and performance tyre shops, packed with the all the safety features and limit switches.

JSL3.00G

On Ground **3T** Professional High-Rise car scissors lift



PRICE & DEAL
REFER TO WEBSITE

WANT INSTALLATION?
CALL US

Lifting Capacity	Max Lifting Height	Min Height	Power Supply
3000kg	1850mm	110mm	240 V / 50 Hz

3 YEAR WARRANTY

On Ground 3 Ton professional High-Rise car scissor lift, great option for tight and small workshop, quick and efficient for tyre shops, mechanical workshop and performance tyre shops and home garages, packed with the all the safety features and limit switches.

JMBL600

Motorcycle Lift, **600 KG** - Jackaroo



PRICE & DEAL
REFER TO WEBSITE

WANT INSTALLATION?
CALL US

Lifting Capacity	Max Lifting Height	Min Height	Power Supply
600 kg	905mm	260mm	240 V / 50 Hz

3 YEAR WARRANTY

600Kg Modern Electric Hydraulic Motorcycle Lift packed with all the safety features Which is Ideal for Professional and Home Garage Use, With Front Wheel Vise. No air compressor needed. Optional Side extension plate is also available to do ATV.



100 % SAFE AND RELIABLE

MCL2500-PRO Option to be bolted down 2.5 to 3 T Mobile car lift, Safe Control Box



**WANT INSTALLATION?
CALL US**

**PRICE & DEAL
REFER TO WEBSITE**

Lifting Capacity	Max Lifting Height	Min Height	Power Supply
2500-3000kg	1810mm	100mm	240v / 50 Hz

3 YEAR WARRANTY

2.5 to 3 ton Mobile & fixed Single Post hoist, Car Lift, Electromagnetic solenoid unlocking mechanism, smart solution to create more parking room or display your beautiful project cars

JAFP5.0-PRO

5 Ton, 4 Post Alignment Hoist Pro Grade



One Sliding beam Jack included.

**WANT INSTALLATION?
CALL US**

**PRICE & DEAL
REFER TO WEBSITE**

Lifting Capacity	Max Lifting Height	Min Height	Power Supply
5000 - 2500 kg	1700mm & 340mm	180mm	415 V / 50 Hz

3 YEAR WARRANTY

5 Ton, 4 Post Alignment hoist, packed with safety Feature, Tough built, for alignment service and repair

JTPH4.0-M

4 T Jackaroo Twin Parking Hoist Manual Release



**WANT INSTALLATION?
CALL US**

**PRICE & DEAL
REFER TO WEBSITE**

Lifting Capacity	Max Lifting Height	Min Height	Power Supply
4000kg	2090mm	140mm	240 V / 50 Hz

3 YEAR WARRANTY

4 Ton jackaroo Twin Parking Hoist, Smart way to double up your parking spots with the minimum possible cost, thanks to its great lifting height almost 2.1 m that will give you a good clearance so you can park other higher vehicles underneath, and it is safe and easy to operate.

JASL4.5-PRO

4.5 T Scissor Alignment Lift Extra Low Profile



**WANT INSTALLATION?
CALL US**

**PRICE & DEAL
REFER TO WEBSITE**

Lifting Capacity	Max Lifting Height	Min Height	Power Supply
4500 & 3500 kg	1800mm & 400mm	175mm	415 V / 50 Hz

3 YEAR WARRANTY

4.5 T Scissor Alignment Lift, Built-in Secondary belly lift, Top Quality, Built for last.

TWX-98

Semi Automatic Twin Busch Germany Tyre changer



2 YEAR WARRANTY

PRICE & DEAL
REFER TO WEBSITE

Outside clamping	12" - 26"
Inside clamping	14" - 28"
Wheel diameter (max.)	45" (1143 mm)
Wheel Width (max.)	16" (406 mm)

High performance and multi-function tyre changer, the perfect machine for Standard, sport, low profile tyre and Run-flat tyre with double bead pushing arms (cylinders) as well as double power

TWX-36

Automatic Tyre Changer, Full Arms, Twin Busch Germany



PRICE & DEAL
REFER TO WEBSITE

Outside clamping	12" - 24"
Inside clamping	14" - 26"
Wheel diameter (max.)	45" (1143 mm)
Wheel Width (max.)	16" (406 mm)

Tyre changer with pneumatically operated tilting column and integrated air-booster in the clamping jaws system for standard, low profile tyre and run flat-tyre. **2 YEAR WARRANTY**

TWF-95

Fully Automatic Wheel Balancer Twin Busch Germany



1 YEAR WARRANTY

PRICE & DEAL
REFER TO WEBSITE

Wheel width	1,5" - 20"
Wheel diameter	10" - 24"
Wheel weight max	65 kg
Ø Rim centre hole	40 - 135 mm

The automatic wheel balancer for professional use with laser positioning system and LED light. Equipped with TFT colour monitor and 2 electro sensor arms for rim width and diameter measurement & an auto program detection.

J-TWD680K

Truck Wheel Dolly



PRICE & DEAL
REFER TO WEBSITE

3 YEAR WARRANTY

Capacity	Tire Size
680 kg	600mm-1524mm

J-UHAS

Under Hoist Stand



PRICE & DEAL
REFER TO WEBSITE

3 YEAR WARRANTY

Capacity	Min. H.	Max. H.
680 kg	1360mm	2032mm

J-EC2T

2T Engine Crane



PRICE & DEAL
REFER TO WEBSITE

3 YEAR WARRANTY

Capacity	Lifting Point
2 Ton	0.5, 1, 1.5T

J-QALRJS4T

4 Ton Quick Auto Lift Ratchet Jack Stand - Jackaroo

PRICE & DEAL
REFER TO WEBSITE

3 YEAR WARRANTY

Min. Height	Max Height
340mm	510mm



J-QALRJS6T

6 Ton Quick Auto Lift Ratchet Jack Stand - Jackaroo

PRICE & DEAL
REFER TO WEBSITE

3 YEAR WARRANTY

Min. Height	Max Height
400mm	620mm



J-QLSJ25T

Quick Lift Garage Jack **2.5T**



PRICE & DEAL
REFER TO WEBSITE

Capacity	Min. H.	Max. H.
2.5 Ton	133mm	465mm

3 YEAR WARRANTY

Jackaroo 2.5 T Garage Jack. All day everyday work, high performance workshop.

J-ELPSJ15T

Extra Low Profile Long Reach **1.5T**



PRICE & DEAL
REFER TO WEBSITE

Capacity	Min. H.	Max. H.
1.5 Ton	70mm	610mm

3 YEAR WARRANTY

Jackaroo 1.5 Ton Extra Low-Profile Service Jack with Dual Pump Quick start, specially designed for sport and low profile car.

J-LPSJ35T

Low Profile Performance Jack **3.5T**



PRICE & DEAL
REFER TO WEBSITE

Capacity	Min. H.	Max. H.
3.5 Ton	95mm	552mm

3 YEAR WARRANTY

Jackaroo 3.5 Ton Low Profile General Workshop Jack, Dual Pump Quick Start. Designed for high performance mechanic and tyre shop.

J-AHJ22T

Quick Lift Truck Jack **22T**



2 YEAR WARRANTY

PRICE & DEAL
REFER TO WEBSITE

Capacity	Min. H.	Max. H.	Extensions
22 Ton	228mm	457mm	107mm

Jackaroo 22 Ton Truck axle Jack with Turbo Motor for Truck Servicing and Tyre Changing.

SAHJ80-2DSC

Performance Truck Jack **80T**



3 YEAR WARRANTY

PRICE & DEAL
REFER TO WEBSITE

Lifting H.	Min. H.	Max. H.	Extensions
80T: 100mm 40T: 82mm	190mm	492mm	75+45mm

Jackaroo 2 stage (80T/40T) Air Hydraulic Jack, designed for heavy trucks and plant equipment .

SAHJ60-3JC

Low Profile Air Hydraulic Jack



3 YEAR WARRANTY

PRICE & DEAL
REFER TO WEBSITE

Lifting H.	Min. H.	Max. H.	Extensions
60T: 62mm 30T: 61mm 12T: 69mm	160mm	472mm	75+45mm

Jackaroo 3 stage (60T/30T/12T) low profile Air Hydraulic Jack, designed for heavy trucks and plant equipment with low chassis.

SAHJ80-3JC

Low Profile Air Hydraulic Jack **80 T**



3 YEAR WARRANTY

PRICE & DEAL
REFER TO WEBSITE

Lifting H.	Min. H.	Max. H.	Extensions
80T: 82mm 50T: 81mm 25T: 84mm	175mm	542mm	75+45mm

Jackaroo 3 stage (80T/50T/25T) low profile Air Hydraulic Jack, designed for heavy trucks and plant equipment with low chassis.

J-SPLRJS3T

3 Ton Safe Pin Lock Ratchet Jack Stand - Jackaroo



PRICE & DEAL
REFER TO WEBSITE

3 YEAR WARRANTY

Min. Height	Max Height
300mm	444mm

J-SPLRJS6T

6 Ton Safe Pin Lock Ratchet Jack Stand - Jackaroo



PRICE & DEAL
REFER TO WEBSITE

3 YEAR WARRANTY


Min. Height	Max Height
400mm	620mm



BEST PRICE AND AFTER SALE SUPPORT GUARANTEED

PERFECT FOR CLEANING & SANITIZING WITH NO CHEMICAL
CAR WASH & DETAILING | ALL KIND OF REPAIR SHOP |
FOOD PRODUCTION & COMMERCIAL KITCHEN | ALL DOMESTIC MOBILE CLEANING

OPTIMA STEAMER



- * No Recycle System needed
- * No Chemical & No detergent
- * No Running Water,
- * No wastewater or overspray
- * Mobile & Domestic

PWG HAS PROUDLY BROUGHT TO YOU THE MOST EFFECTIVE, SAFE & ECONOMICAL COMMERCIAL SUPER HEAVY DUTY STEAM MACHINE,

OPTIMA STEAMER

WOULD YOU LIKE TO HAVE A DEMO?

"SIMPLY CONTACT US TO MAKE AN APPOINTMENT

1300 082 002

sales@proworkshopgear.com.au